GREEN MAX





CONTENTS

01	WARRANTY ELIGIBILITY	7
02	WHAT IS WARRANTED AND FOR HOW LONG	2
03	WHAT IS NOT WARRANTED	3
04	CASING WARRANTY	4
05	TO MAKE A CLAIM UNDER THIS LIMITED WARRANTY	6
06	OWNER'S OBLIGATION	6
07	DEALER'S OBLIGATION AND CLAIM PROCESS	6
08	TIRE SAFETY AND MAINTENANCE	7
09	SAFETY WARNING AND CARE GUIDE	8
	Inflation	8
	Rotation	9
	Speed management	9
	Inspection	10
	Loading	11
10	EXCLUSIONS, LIMITATIONS AND LEGAL RIGHTS	11
77	DISPUTE RESOLUTION AND ARBITRATION	12







This limited warranty applies to all the qualified replacement market Truck and Bus
Tires produced by Shandong Linglong Tyre Co., Ltd. and all its subsidiaries. This Limited
Warranty only applies to the original purchaser, and the tire has a complete brand
identification, DOT or barcode . and it is valid if all of the following apply:

The tires are manufactured after January 1, 2025, and are shipped to North America for sale and use.

The tire fails due to the workmanship or materials.

The tire shall not exceed the warranty period, and the remaining pattern shall not be less than TWI.

WHAT IS WARRANTED COLUMN TO THE WARRANTED COLUMN TO TH

• The warranty period is 6 years from the date of tire production, and the remaining pattern depth is not less than TWI.

• If the tire fails due to manufacturing reasons and meets the warranty scope and conditions, the remaining pattern exceeds TWI, the new tire of the same specification will be covered free of charge.

WHAT IS NOT COVERED

- Road hazard injuries or damages caused by obstacles or debris, such as cuts, punctures (whether repairable or not), snags, bruises, tears, abrasions or impact breaks.
- Improper repairs or repairs that have failed.
- O Improper inflation or other maintenance abuses.
- Improper mounting/dismounting.
- Mechanical irregularities such as bent wheel assemblies, misalignment worn or faulty components.
- Accident, corrosion, tire alteration, vandalism, fire, theft or damages cause by nature.
- O Damage from overinflation or under-inflation, overloading, defective vehicle mechanical conditions.
- Non-racing or off-road tires that are misused or abused for racing or off-road purposes.

- Ozone or weather cracking or other abuse, misuse, tire alteration, run flat.
- Tire which D.O.T identification number and/or brand name removed intentionally.
- Tires that have been modified after leaving the factory, such as fillers, sealants, balancing substances and external tire treatments or materials of any kind. If the added material is the cause of a failure, a tire will not be accepted for warranty claim.
- Abnormal tread wear resulting from improper installation, wheel misalignment, tire/wheel assembly imbalance, etc.
- Vehicles or tires operated in excess of the rated Work Capacity Factor.
- Additional monetary loss, such as damage of the vehicle or time, etc.



 We offers retreading guarantees for Truck and Bus Tires. if the tires cannot be retreaded due to the manufacturer's own reasons, a subsidy will be provided. This renovation rule applies only to the United States and Canada.

GREENMAX brand offers a 6-year warranty with 2 retreads; Some specified patterns offer a 7-year warranty with 3 retreads; The specific details of the specified patterns are as follows.



Brand	Warranty	Specified tire patterns
GREEN MAX	Warranty period for retreadingis 6 years,and can be retreaded 2 times. For the specified tirepatterns,retreading warranty	GSH100
		GDH100
		GTH100
		GAR200
	period is 7 years,and can be retreaded 3	GDR200
	times.	GTR200

TO MAKE A CLAIM UNDER THIS LIMITED • WARRANTY

Present your tires and the original purchase receipt to point of purchase or any the Company's dealer.

O Complete and sign the Claim Adjustment form provided, keep a copy for your records and leave the tire with the dealer to process the warranty claim.

• At the time of purchase, tires must be properly installed with recommended inflation and balanced. Observe rotation and alignment regularly according to recommendations.

O Refer to any authorized the Company's dealer or point of purchase for adjustment claim.

Owner is responsible for service charges and applicable taxes.

O The company's authorized dealer or customer

 Submit a copy of the original purchase receipt to support the adjustment claim.

(buyer) submit adjustment claim along with a cut-out slice of full DOT serial from the disabled tire, measurements of tread remaining, photos showing tread area as well as damage area, etc. to LINGLONG TIRE to validate and process the adjustment claim.

> Any other information such as VIN(Vehicle Identification Number) or relevant information/material must be submitted if required.

OWNER'S **OBLIGATION**

DEALER'S **OBLIGATION** AND CLAIM

o PROCESS



Tire failure can result in serious damage and/or personal injury. To reduce these risks we recommend the following:

- Maintain proper inflation, do not under or over inflate. Always maintain inflation according to the vehicle manufacturer's or the Company's recommendations.
- Wheel alignment and balancing should be checked at regular intervals.
- Do not overload, refer to load carrying capacity information molded on tire sidewall.
- Avoid spinning, driving over curbs, potholes, obstacles and edges of pavement.

- Never drive with smooth(bald) tires. By law, tires must be replaced when worn to TWI (tread wear indicator).
- Check your tires frequently for any damage such as scrapes, cuts, foreign objects, separations or bulges. If damaged replace it with spare and refer to an authorized dealer.
- Do not drive in excess of permitted speed limits and beyond the maximum specified by tire.
- To achieve proper wear and optimize tread life, rotate your tires at least every 6000 miles.



- If overinflated or underinflated, it will affect the service life of the tire, and there
 are safety risks, such as abnormal tire wear, cracks or explosions.
- Tires can lose 1 psi (pound per square inch) per month under normal conditions. Additionally, tires can lose 1 psi for every 10° F temperature drop. Check your tire pressure every month to make sure it's up to specification, especially before long trips or carrying extra weight.
- At the beginning of the use of new tires, it is recommended to check the tire
 pressure after 24 hours of use or 2000-3000 kilometers, and find that the insufficient pressure should be supplemented in time.
- The tire keeps the pressure corresponding to the load, and it is recommended to check each time before, during and after the car is finished. If the air pressure is found to be too low, check whether there is gas leakage and eliminate the fault in time.

ROTATION

For maximum mileage, you must rotate your tires according to the vehicle manufacturer's recommendations (consult your vehicle owner's manual), or if not provided, rotate every 6,000-8,000 miles(10000-12000kms)using a rotation pattern such as below.



WARNING!

HIGH SPEED DRIVING IS DANGEROUS.

DO NOT DRIVE AT SPEEDS FASTER THAN THE SPEED RATINGS FOR YOUR TIRES.

NEVER EXCEED LEGAL SPEED LIMITS OR SPEEDS REASONABLE FOR THE DRIVING CONDITIONS.

- Faster speed will lead to an increase in tire skidding on the road, accelerated tire wear, and reduced tire life.
- High speed will increase the heat of the tire and cause the tire to burst.
- Speed increases, tire driving resistance increases, fuel consumption increases.



- Inspect your tires at least once per month, and immediately after contacting any road hazard
 or object, such as a curb, a pothole, or debris. If you see any damage to a tire or wheel,
 replace a same tire at once.
- A tire that hits a road hazard or object can be damaged but not have any visible sign of damage on its surface. A tire damaged by an impact can suddenly fail a day, a week, or even months later. You may not recall having hit an object or a road hazard and may not see any tire damage, but such an event may have damaged one or more of your tires.
- Air loss, unusual tire wear, localized wear, or vibrations can also be signs of internal tire damage, or if you feel or hear any unusual vibration, replace the tire at once and immediately visit a qualified tired professional.





DO NOT DRIVE ON OVERLOADED TIRES.

The maximum load rating of your tires is molded on the tire sidewall. Do not exceed this rating. Follow the loading instructions of the manufacturer of your vehicle to ensure that your tires are not overloaded.

EXCLUSIONS, LIMITATIONS, AND LEGAL RIGHTS

- No representative or dealer is authorized to make any representation, promise, or agreement on behalf of Linglong, except as expressly stated in this document. Any tire, regardless of construction quality, may fail in service or otherwise become unserviceable due to conditions beyond the manufacturer's control. This warranty does not constitute a representation that tire failure will not occur under any circumstances.
- DISCLAIMER: This warranty is provided in lieu of all other warranties and representations, express or implied. Linglong expressly disclaims any and all implied warranties, including but not limited to the implied warranties of merchantability and fitness for a particular purpose. No other warranty or representation of any kind shall be deemed to exist or arise by operation of law.

LIMITATION OF DAMAGES: Under no circumstances shall Linglong be liable for any indirect, special, incidental, consequential, or punitive damages, including but not limited

to loss of profits, business interruption, loss of reputation or goodwill, or costs related to replacement transportation or other associated expenses. Certain states or provinces do not allow the exclusion or limitation of incidental or consequential damages; therefore, some portions of this limitation may not be enforceable in specific jurisdictions.

This warranty sets forth specific legal obligations, and additional rights may apply depending on the governing state or provincial law.

DISPUTE RESOLUTION AND ARBITRATION

All claims arising from this limited warranty or from the marketing, sale, or performance of the purchased product brought against Linglong and its agents, employees, dealers, affiliates, parent or sister corporations, related corporate entities, predecessors, successors, or assigns shall be subject to binding arbitration

It is acknowledged that both the purchaser and Linglong have the right to litigate claims, disputes, and controversies arising from or in connection with this limited warranty or the marketing, sale, or performance of the purchased product in court; however, both parties prefer to resolve such matters through arbitration. Upon election of arbitration by either party, the right to litigate such claims in court is waived.

Accordingly, all claims, disputes, and controversies arising from or in connection with this limited warranty, or any other warranties-express or implied-including warranty failure, or any claims related to the marketing, sale, or performance of the purchased product (including but not limited to claims under consumer protection statutes or for consumer fraud), excluding claims for personal injury or property damage, shall be finally resolved through binding arbitration upon election by either party. Arbitration shall be conducted under the formal dispute resolution procedures then in effect of the National Arbitration Forum or its successor, or any alternative private arbitration organization as may be mutually agreed upon by the parties (referred to as the "Arbitral Body").

The Arbitral Body shall render decisions in accordance with this agreement. All substantive legal issues shall be governed by the laws of the state in which the product was purchased.

No claim subject to arbitration shall be arbitrated on a class-wide, representative, or public basis, nor on behalf of similarly situated individuals. No party shall have the right to act as a private attorney general or a class representative in any arbitration proceeding.

CLAIM TABLE

Claim Date		
Dealer	Enduser	
Brand	Size,Pattern	
Speed	Mileage (km)	
Tire purchase date	Air pressure (Kpa)	
Wheel position	Remaining tread depth (mm)	
Vehicle purchase date/ License plate/Model	Original tread depth (mm)	
Barcode	Percent Worn	
Dot number	Fault description	

The required tire photos or video materials include:

Tire photos or video data to be provided include: tire overall photos, brand, specification pattern, bar code and DOT, damaged parts, damaged parts inside and outside, remaining pattern depth (with caliper measurement scale), application environment, road conditions, jitter videos, and other evidence data required to be provided according to the actual situation.

